

Electronic Supplementary Material

Narrow distribution of cyanophage *psbA* genes observed in two paddy waters of Northeast China by an incubation experiment

Xinzhen Wang^{1,2}, Ruiyong Jing^{1,3}, Junjie Liu¹, Zhenhua Yu¹, Jian Jin¹, Xiaobing Liu¹, Xiaojuan Wang⁴, Guanghua Wang¹✉

1. Key Laboratory of Mollisols Agroecology, Northeast Institute of Geography and Agroecology, Chinese Academy of Sciences, Harbin 150081, China
2. University of Chinese Academy of Sciences, Beijing 100049, China
3. College of Life and Sci-technology, Heilongjiang BaYi Agricultural University, Daqing 163319, China
4. Centre for AgriBioscience, La Trobe University, Melbourne Campus, Bundoora, Vic 3086, Australia

Supporting information to DOI: 10.1007/s12250-015-3673-5

Table S1. The closest relative of sequenced *psbA* clones from paddy waters in this study at the amino acid level.

Clone name (PW-)	Length ^a	Alignment	Closest relative	Source	Accession number ^b	Identity (%)
DA-I-1	264	263/264	NoF9	Paddy floodwater in Japan	BAH23189	99
DA-I-2	264	258/264	CM6	Paddy floodwater in Japan	BAH23213	98
DA-I-3	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99
DA-I-4	264	255/264	NoF10	Paddy floodwater in Japan	BAH23190	97
DA-I-5	264	257/264	CF(-N)9	Paddy floodwater in Japan	BAH23199	97
DA-I-6	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-7	264	254/264	NoF10	Paddy floodwater in Japan	BAH23190	96
DA-I-8	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-9	264	256/264	LK20mp-22	Freshwater lake Kinneret (Israel)	AAZ93918	97
DA-I-10	264	263/264	NoF9	Paddy floodwater in Japan	BAH23189	99
DA-I-11	264	258/264	PN09-068	Clone in East China Sea	AGL79161	98
DA-I-12	264	259/264	NoF9	Paddy floodwater in Japan	BAH23189	98
DA-I-14	264	262/264	NoF9	Paddy floodwater in Japan	BAH23189	99
DA-I-15	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-16	264	258/264	CF(-N)9	Paddy floodwater in Japan	BAH23199	98
DA-I-17	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99
DA-I-19	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99
DA-I-20	264	258/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-21	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-22	264	255/264	NoF10	Paddy floodwater in Japan	BAH23190	97
DA-I-23	264	260/264	NoF9	Paddy floodwater in Japan	BAH23189	98
DA-I-24	264	248/264	CF(-N)7	Paddy floodwater in Japan	BAH23197	94
DA-I-25	264	258/264	CF(-N)9	Paddy floodwater in Japan	BAH23199	98
DA-I-26	264	254/264	CM10	Paddy floodwater in Japan	BAH23217	96
DA-I-27	264	260/264	NoF9	Paddy floodwater in Japan	BAH23189	98
DA-I-28	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99
DA-I-29	264	262/264	NoF9	Paddy floodwater in Japan	BAH23189	99
DA-I-30	264	260/264	NoF9	Paddy floodwater in Japan	BAH23189	98
DA-I-31	264	259/264	PN09-068	Clone in East China Sea	AGL79161	98
DA-I-32	264	258/264	PN04-091	Clone in East China Sea	AGL79481	98
DA-I-33	264	260/264	NoF7	Paddy floodwater in Japan	BAH23187	98
DA-I-34	264	252/264	NoF10	Paddy floodwater in Japan	BAH23190	95
DA-I-35	264	256/264	LK20mP-22	Freshwater lake Kinneret (Israel)	AAZ93918	97
DA-I-37	264	258/264	PN09-068	Clone in East China Sea	AGL79161	98
DA-I-38	264	261/263	Cyanophage S-RIM17	Coastal marine cyanophage	ACY42497	99
DA-I-39	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-40	264	256/264	DH22-026	Clone in East China Sea	AGL78823	97
DA-I-41	264	262/264	Cyanophage S-RIM17	Coastal marine cyanophage	ACY42497	99
DA-I-42	264	254/264	NoF10	Paddy floodwater in Japan	BAH23190	96
DA-I-43	264	255/264	NoF10	Paddy floodwater in Japan	BAH23190	97

To be continued

Clone name (PW-)	Length ^a	Alignment	Closest relative	Source	Accession number ^b	Identity (%)
DA-I-44	264	253/264	NoF10	Paddy floodwater in Japan	BAH23190	96
DA-I-45	264	252/264	CM10	Paddy floodwater in Japan	BAH23217	95
DA-I-46	264	257/264	CF(-N)9	Paddy floodwater in Japan	BAH23199	97
DA-I-47	264	258/263	Cyanophage S-RIM17	Coastal marine cyanophage	ACY42497	98
DA-I-48	264	255/264	NoF10	Paddy floodwater in Japan	BAH23190	97
DA-I-49	264	257/264	PN09-068	Clone in East China Sea	AGL79161	97
DA-I-50	264	248/264	CF(-N)7	Paddy floodwater in Japan	BAH23197	94
DA-I-51	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-52	264	255/264	CF(-N)7	Paddy floodwater in Japan	BAH23197	97
DA-I-53	264	254/264	NoF10	Paddy floodwater in Japan	BAH23190	96
DA-I-54	264	258/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-55	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99
DA-I-56	264	259/264	PN04-056	Clone in East China Sea	AGL79446	98
DA-I-57	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-58	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
DA-I-59	264	258/264	PN09-068	Clone in East China Sea	AGL79161	98
DA-I-60	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-61	264	256/264	LK20mp-22	Freshwater lake Kinneret (Israel)	AAZ93918	97
DA-I-62	264	252/264	CM10	Paddy floodwater in Japan	BAH23217	95
DA-I-63	264	254/264	CF(-N)8	Paddy floodwater in Japan	BAH23198	96
DA-I-64	264	249/264	CF(-N)7	Paddy floodwater in Japan	BAH23197	94
DA-I-65	264	254/264	NoF10	Paddy floodwater in Japan	BAH23190	96
DA-I-66	264	258/264	CF(-N)9	Paddy floodwater in Japan	BAH23199	98
DA-I-67	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
DA-I-68	264	258/264	PN09-068	Clone in East China Sea	AGL79161	98
DA-I-69	264	257/264	PN09-068	Clone in East China Sea	AGL79161	97
DA-I-70	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-71	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-I-72	264	251/264	NoF10	Paddy floodwater in Japan	BAH23190	95
DA-I-73	264	251/264	CM9	Paddy floodwater in Japan	BAH23216	95
DA-II-2	264	258/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-3	264	258/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-4	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-5	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-6	264	261/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	99
DA-II-7	264	260/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
DA-II-8	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-9	264	261/264	CM7	Paddy floodwater in Japan	BAH23214	99
DA-II-10	264	261/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	99
DA-II-11	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99

Clone name (PW-)	Length ^a	Alignment	Closest relative	Source	Accession number ^b	Identity (%)
DA-II-12	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-13	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-14	264	258/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
DA-II-15	262	261/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	99
DA-II-16	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
DA-II-17	264	261/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	99
DA-II-18	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99
DA-II-19	262	259/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
DA-II-20	264	260/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
DA-II-21	264	258/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-22	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-23	264	259/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
DA-II-24	264	258/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
DA-II-25	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99
DA-II-26	264	260/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
DA-II-27	264	256/264	NoF10	Paddy floodwater in Japan	BAH23190	97
DA-II-28	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-29	264	257/264	CM10	Paddy floodwater in Japan	BAH23217	97
DA-II-30	264	260/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
DA-II-31	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-32	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-33	264	259/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
DA-II-34	264	260/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
DA-II-35	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-II-36	264	258/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-III-1	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99
DA-III-2	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-III-3	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-III-4	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-III-5	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-III-6	264	258/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
DA-III-7	264	255/264	NoF10	Paddy floodwater in Japan	BAH23190	97
DA-III-8	264	259/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-III-9	264	255/264	NoF10	Paddy floodwater in Japan	BAH23190	97
DA-III-10	264	254/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	96
DA-III-11	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
DA-III-12	264	257/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	97
MDJ-I-1	264	256/264	<i>Synechococcus</i> phage S-CBP3	Isolation in Chesapeake Bay	AFK66481	97
MDJ-I-2	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99
MDJ-I-3	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-I-4	264	257/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	97
MDJ-I-5	264	260/264	LK20mP-12	Freshwater lake Kinneret (Israel)	AAZ93917	98

Clone name (PW-)	Length ^a	Alignment	Closest relative	Source	Accession number ^b	Identity (%)
MDJ-I-6	264	255/264	uncultured <i>Synechococcus</i> sp.	Transect cruise at eastern	AAU84542	97
MDJ-I-7	264	262/264	<i>Nostoc</i> sp. PCC7107	Unknown	WP_015112088	99
MDJ-I-8	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
MDJ-II-1	264	258/264	PN09-068	Clone in East China Sea	AGL76161	98
MDJ-II-2	264	260/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
MDJ-II-3	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99
MDJ-II-4	264	259/264	CF(-N)9	Paddy floodwater in Japan	BAH23199	98
MDJ-II-5	264	261/264	NoF10	Paddy floodwater in Japan	BAH23190	99
MDJ-II-6	264	258/264	NoF10	Paddy floodwater in Japan	BAH23190	98
MDJ-II-7	264	258/264	NoF10	Paddy floodwater in Japan	BAH23190	98
MDJ-II-8	264	258/264	NoF10	Paddy floodwater in Japan	BAH23190	98
MDJ-II-9	264	262/264	NoF10	Paddy floodwater in Japan	BAH23190	99
MDJ-II-10	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
MDJ-II-11	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
MDJ-II-12	264	254/264	<i>Synechococcus</i> phage S-CBP3	Isolation in Chesapeake Bay	AFK66481	96
MDJ-III-1	263	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-III-2	264	261/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	99
MDJ-III-3	264	260/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
MDJ-III-4	264	256/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-III-5	264	258/264	NoF10	Paddy floodwater in Japan	BAH23190	98
MDJ-III-6	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-III-7	264	260/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
MDJ-III-8	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-III-9	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-III-10	264	260/264	NoF10	Paddy floodwater in Japan	BAH23190	98
MDJ-III-11	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-III-12	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-III-13	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-III-14	264	247/264	<i>Anabaena oryzae</i> Ind3	Unpublished	AEZ50165	94
MDJ-III-15	264	258/264	NoF10	Paddy floodwater in Japan	BAH23190	98
MDJ-III-16	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-III-17	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-III-18	264	262/264	NoF7	Paddy floodwater in Japan	BAH23187	99
MDJ-III-19	264	260/264	<i>Trebouxiophyceae</i> sp.MX-A201	Highly acidic Geothermal Lake	YP_006666440	98
MDJ-III-20	264	257/264	NoF10	Paddy floodwater in Japan	BAH23190	97
MDJ-III-21	264	261/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	99
MDJ-III-22	264	259/264	CF(-N)1	Paddy floodwater in Japan	BAH23191	98
MDJ-III-23	264	254/264	NoF10	Paddy floodwater in Japan	BAH23190	96

NOTE: ^aThe length of amino acid residues; ^bAccession number of amino acid sequences